APPLICATION FOR A VARIANCE

Torn Agrous CAR No. SPREAM

PUBLIC HEALTH SERVICE		FROM 21 CFH 1040.11		efter July 31, 1984	
FOOD AND BRUG ADMINISTRATION		LASER LIGHT SHOW, OR DEVICE	DISPLAY	DOCKET NUMBER	
NOTE: No laser light show or display d approval of this application in a	evice may vary fr coordance with 2	om compliance with 21 CF	R 1040.11(c) in	design of use without the	
		ET AUCTIONS			
1. Check all applicable boxes and type or print the	e requested	3. Mail vottr appli	cation to the Hear	ing Clerk, Food and Drug Admin-	
information. 2. Submit an original and four (4) copies.		Biration_Room	umber if asterned.	ra Lane, Rockville, MD 20857	
1. NAME OF COMPANY					
Texas State Technical Gollege - 2. Abbress of company (Include ZIP Code)	- Waco - Las	er Electro Optic I	eclmulogy		
3801 Campus Drive, Waco, IX 7	5705				
3 NAME OF RESPONSIBLE PERSON	14	. TELEPHONE NO. //ndufe a	es codel	S. DATE OF SUBMISSION	
Jim Rooten - LSO		254-867-4857		October 28, 1999	
the The applicant requests the variance to be in effect this variance. Its general the Agency will approve	for a period of	vests from the date of less the years. If a longer period is	r and requests to H requested a justific	anulecture and an article	
of the application.)	1	DESCRIPTION AND USE			
7. A LIST NAME AND MODEL NUMBER(S)	PRODUCT	NESCHIPTION AND USE		7004 (1-12) (1994) (1994)	
Model LT-1000 B. PRODUCT FOR WHICH A VARIANCE IS REQU		Chapter in the same			
A PAREA DISPLAY DEVICE	ESTED		6. PRODUCT IS INTENDED TO BE USED AT ANY ONE LOCATION		
A PROJECTOR FOR A LASER LIGHT SHOW	v		MORE THAN 5 BUT NOT MORE THAN 15 DAYS		
A LASER LIGHT SHOW	•	LESS THAN 5 DA	₹ 5		
O other (Specify)					
G Breen rapactify		1	1. TOUR IS INTENDED TO AUN FOR		
		A 1-6 MONTHS	ON IAS		
G PRODUCT IS INTENDED FOR USE IN A			C LEES THAN I MONTH		
PLANETARIUM OF OTHER DOME PROJEC	TION STRUCTUR	NOT APPLICABL	E Inal (tour)		
☐ THEATER		TOTHER (Specify)		•	
DISCOTHEDUE OR NIGHT CLUB		9. PRODUCT UTILIZES	THE FOLLOWIN	G I ASEM CERECTO	
DEAVILION INDOOR ARENA		FRONT SCREEN	REAR SCREEN PROJECTIONS REAR SCREEN PROJECTIONS		
OUTDOOR ARENA		D HOLOGRAPHIC			
U MUSEUM		AUDIENCE SCAN	ECTIONS (MVIND) NING	e chainel or diffraction effects!	
OUTDOOR ENCLOSED AREA		A REFLECTIONS F	ROM STATIONAR	IV MIRRORISI OR	
□ othen (Specify)		MINADRED SUR	ACES		
				TOTATING MIRROR BALLIS)	
d. PRODUCT IS INTENDED TO BE USED		DR OTHER MIRE			
☐ AT ONLY ONE (fixed) LOCATION			SCANNING INPADIATION OF POTATING WIFROW BALL(S) FIBER OPTIC PROJECTIONS		
AT A VARIETY OF / MUN LOCATIONS		☐ FOG. SMOKE OR		HING EFFECTS	
☐ OTHER (Specify)		O OTHER (Specify)			
В.	LASER	RADIATION LEVELS		_	
LASER MEDIUM (Ar. Me-Ne. em.)	WAV	ELENGTHS (nm)	PE	AK POWER (Warts)	
NO YAG (Doubled)	532NM		100 mW:	tts	
9. IF ANY LASER RADIATION IS FULSED OF SE	ANNED, GIVE THE	PULSE DURATION AND RA	TE AND SCANNI	NG FREQUENCY AND	
an-Litude			_		
Use of Cambridge HP6800 Scanner	s Rate OHZ 1	to SKHZ Angle O' to	60		
10 REASON FOR REQUESTING VARIANCE				-	
COMPLIANCE WITH THE LIMITS OF 21 CI BECAUSE COMPLIANCE WOULD LIMIT TO NOT 86 SUFFICIENTLY VISIBLE	HE OUTPUT FOWE	OLD RESTRICT THE INTEND P TO THE EXTENT THAT TH	ED USE OF THE	PRODUCT ECTS WOULD	
OTHER OF ADDITIONAL EXPLANATION	(Spectfy)				
				1	
FORM FDA 3147 (10/79)					

99.4-4774

SL.	Ņį	BY: IEXAS STATE TEUM C 111- 2-99 : 10:41AM : TSTC LET/SMT PTS :#14/21
11.		IT IS PROPOSED TO DEVIATE FROM THE PHOVISIONS OF 21 UFF 1046.11(c) IN THAT THE ACCESSIBLE EMISSION LEVEL WOULD EXCEED THE ACCESSIBLE EMISSION LIMITS OF CLASS I OR CLASS II
		IT IS PROPOSED TO DEVIATE FROM THE PROVISION OF 21 CFR 1040 11(c) AS FOLLOWS.
		The second of th
1	•	VANTAGES TO BE DERIVED FROM SUCH DEVIATION LASER LIGHT SHOWS AND DISPLAYS ARE ACCEPTED POPULAR MEDIA IN ENTERTAINMENT AND THE ARTS. USE DE POWER LEVELS IN EXCESS OF THE LIMITS IMPOSED BY 21 EFR 1040, [1] [c] IS NECESSARY TO ACHIEVE THE REQUIRED EFFECTS IN THESE MEDIA.
	Ð	OTHER OR ADDITIONAL ADVANTAGES Identify and explain!
		·
13.	CAL ChC	FLAIN THE ALTERNATE MEANS OF RADIATION PROTECTION TO BE PROVIDED. (C'Arck as many nozer, erappin, beplain any bosca not cred using additional sheets as necessary. If appropriant, since any other means of radiation protection that will be used.)
•	_	ALL LASER PRODUCTS, SYSTEMS AND PROJECTORS WILL COMPLY WITH 21 CFR 1940,10 FOR LASER PRODUCTS OF THEIR CLASS (Smeath stasses)
		CLASS (Specify class(PS)) LIIB
ħ.		LASER AND COLLATERAL RADIATION MEASURED WHERE THE AUDIENCE IS LOCATED. SHALL NOT EXCEED THE LIMITS OF CLASS I DUPING OFCRATION Includes reflectivity from merces and a patrixing materials).
r.		OPERATORS, PERFORMERS AND EMOLOYEES WILL BE ABLE TO FEBFORM THEIR FUNCTIONS WITHOUT THE NEED TO VIEW LASER AND COLLATERAL RADIATION IN EXCESS OF THE LIMITS OF CLASS 1 AND WITHOUT BEING EXPOSED TO LASER RADIATION IN EXCESS OF THE LIMITS OF CLASS 11 HUMAN EXPOSURE TO CLASS 111 OR CLASS 1V LEVELS OF RADIATION SWALL NOT BE FERMITTED.
d.		SCANNING DEVICES, INCLUDING MIRROR BALLS, WILL INCORPORATE A SCANNING SAFEGUARD TO PREVENT LASER EMISSION IS SCAN FAILURE OR OTHER FAILURE CAUSING A CHANGE IN EITHER SCAN VELOCITY OR AMPLITUDE WOULD RESULT IN VIOLATION OF ITEMS 136 OR 13c.
€.		WHEN LASER LIGHT SHOWS OR DISPLAYS ARE NOT OPERATED AT ALL TIMES UNDER THE DIRECT CONTROL OF AN OPERATOR, LASER RADIATION LEVELS WILL NOT EXCEED THE LIMITS OF CLASS II AT ANY POINT LESS THAN 6 METERS ABOVE ANY SURFACE UPON WHICH A PERSON IN THE AUDIENCE IS PERMITTED TO STAND, OH AT ANY POINT LESS THAN 2.5 METERS IN LATERAL SEPARATION FROM OR BELOW ANY POSITION WHERE A PERSON IN THE AUDIENCE IS PERMITTED DURING THE PERFORMANCE OR DISPLAY. A DESIGNATED PERSONIS) WILL BE RESPONSIBLE, AT ALL TIMES DURING THE SHOW OR DISPLAY. FOR THE IMMEDIATE TERMINATION OF LASER RADIATION IN THE EVENT OF EQUIPMENT MALPUNCTION, AUDIENCE UNBULINESS, OR OTHER UNSAFE CONDITIONS. ONE OR MORE READILY ACCESSIBLE CONTROLS TO EFFECT IMMEDIATE TERMINATION OF LASER RADIATION WILL BE PROVIDED FOR THIS PURPOSE.
€,	^	WHEN LASER LIGHT SHOWS OR DISPLAYS ARE OPERATED AT ALL TIMES UNDER THE DIRECT CONTROL OF A TRAINED OPERATOR I ASER RADIATION LEVELS WILL NOT EXCEED THE LIMITS OF CLASS II AT ANY POINT LESS THAN 3 MCTERS ABOVE ANY SURFACE UPON WHICH A PERSON IN THE AUDIENCE IS PERMITTED TO STAND OR 2.5 METERS IN LATERAL SEPARATION FROM OR BELOW ANY POSITION WHERE A PERSON IN THE AUDIENCE IS PERMITTED TO BE UNLESS PHYSICAL BARRIERS RESTRICT ACCESS BY THE AUDIENCE TO SUCH LEVELS. THE OPERATOR WILL MAINTAIN CONSTANT SURVEILLANCE OF THE LASER DISPLAY AND IMMEDIATELY TERMINATE EMISSION OF LASER RADIATION IN THE EVENT OF FOUIPMENT MALFUNCTION, AUDIENCE UNRULINESS OR OTHER UNSAFE CONDITIONS.
9-		THE MAXIMUM LEVELS OF LASER RADIATION (ollipsis power) WILL NOT EXCEED THOSE BEQUIDED TO CERCOOM THE INTENDED FUNCTION OF THE PRODUCT.
Pi. (*	WRITTEN SET UP. ALICAMENT AND TEST PROCEDURES WILL BE PROVIDED TO AND FOLLOWED BY THE OPERATOR OR OTHER DESIGNED PRIOR TO USE OF THE LASER LIGHT SHOW AT EACH LOCATION. THESE STEP-BY STEP PROCEDURES WILL BE DESIGNED SO THAT WHEN FOLLOWED. THE LASER LIGHT SHOW WILL COMPLY WITH THE CONDITIONS OF THE APPROVED VARIANCE. THE RESULTS OF THE REQUIRED TEST AND CHECKS WILL BE RECORDED AND A COPY RETAINED WITH THE LIGHT SHOW BY THE OPERATOR OR OTHER RESPONSIBLE PERSON. THE RECORD WILL INCLUDE 11 SKETCHES SHOWING THE LOCATION OF THE LASER PROJECTORIS), OPERATORIS), PERFORMED(S), AUDITNOL, BE 14 PATHS, VIEWING SCREENS, WALLS, WIRROR BALLS, AND OTHER SURFACES THAT WAY BE STRUCK BY THE LASER BEAM: (2) INFORMATION ON SCANNING PATTERNS, VELOCITY AND ERECUENCY, AND (3) LASER RADIATION LEVELS.
1,	•	SET UP, ALIGNMENT, CHECKOUT AND TESTING SHALL REPERFORMED USING THE MINIMUM LASER RADIATION LEVELS NECESSARY.
	•	PROCEDURES WILL BE ESTABLISHED AND FOLLOWED FOR THE WRITTEN NOTIFICATION OF APPROPRIATE FEDERAL. STATE, AND LOCAL AGENCIFS OF THE ITINERARIES. OR ANY OTHER BEQUIRED INCOMMATION SPECIFICALLY, THE FEDERAL AVIATION ADMINISTRATION (FAA) WILL BE NOTIFIED IN ADVANCE OF SHOWS USING PROJECTIONS INTO THE SKY. STATE AND LOCAL RADIATION CONTROL OFFICES WILL BE NOTIFIED IN ADVANCE OF ALL SHOWS WITHIN THEIR RESPECTIVE JURISDICTIONS. (Lists of Federal and State offices are smillable from the Burryu of Radiological Health upon TOTALS).

TO THE DIRECTOR, DIVISION OF COMPLIANCE, HEX. ROCKVILLE, MAPPLAND 20867.	eau of Radiological Mealth. This N 100. Bureau of Radiological Mealth	
ЕМАЯКБ	ı	
	•	
•		
•		
•		,
	ERTIFICATION	
I CERTIFY that all of the above information and statements that my variance application may be denied or my variance in any material prop. I have submitted/will submit all reports turbler understand that I may be required by regulation or b may be necessary to evaluate and act on this application.	by the revoked if this application is found to be required by 21 CER 1882 18 and 1882 12 and	false, misleading or incorrect